



Contract

Contract No: GEMC-511 687782620903

Generated Date: 22-Mar-2021

Bid/RA/PR No: GEM/2020/B/777847

SONO. 2110081492020256 dt. 22/03/2021

Organisation Details		Buyer Details	
Type:	Central PSU	Designation:	Deputy Manager
Ministry:	Ministry of Coal	Contact No.:	0712-2511381-
Department:	Materials Management	Email ID:	alokkumar@westerncoal.gov.in
Organisation Name:	Western Coalfields Ltd	GSTIN:	27AAACW1578L1ZW
Office Zone:	Western Coalfields Limited / Nagpur	Address:	WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

Financial Approval Detail		Paying Authority Details	
IFD Concurrence:	Yes	Payment Mode:	Offline
Designation of Administrative Approval:	Director	Designation:	Dy Manager Fin
Designation of Financial Approval:	GM Finance	Email ID:	sprathi@westerncoal.gov.in
		GSTIN:	27AAACW1578L1ZW
		Address:	WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

Seller Details	
GeM Seller ID:	31C9180000116339
Company Name:	TELLS INDUSTRIES
Contact No.:	09920049111
Email ID:	info@tells.in
Address:	MIG-87, Sector -E, Ayodhya Nagar, Ayodhya Nagar, Bhopal, MADHYA PRADESH-462041, -
MSME verified:	Yes
MSE Social Category:	General
GSTIN:	23ARBPT9177D1ZM , 23ARBPT9177D1ZM

*GST / Tax invoice to be raised in the name of - Consignee

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset) Brand : Tells Industries Brand Type : Registered Brand Catalogue Status : Catalogue not verified by OEM Selling As : Reseller not verified by OEM	Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset)	Tells/MLT/5KVA9MTR	9405	4	pieces	1,536,000
Total Order Value (in INR)							1,536,000

Consignee Detail							
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By	
1	Designation: - Email ID: mr.patil3485@nic.in Contact: 07239-241341- GSTIN: 27AAACW1578L1ZW Address: Regional Stores, WCL Wani North Area ,	Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With	-	4	22-Mar-2021	20-Jun-2021	

PO UKNI, Tahsil WANI Dist Yavatmal (MS)Pin 445
304,
YAVATMAL, MAHARASHTRA-445304, India

AC Genset)

Product Specification for Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset)

Specification	Sub-Spec	Value
GENERIC	Portable emergency lighting system consisting one Gen set, Tower/Telescopic collapsible mast/Vertical mast, LED Luminaire, Supporting kits, Tool Kits, Storage box for tool kit (Tool kit list to be furnished by seller at the time of supply)	Yes
	Rating of Generator set (in KVA) (Minimum)	5.0 KVA
	Number of cylinder in the Engine	1 Cylinder
	Minimum continuous working hours	12 hours
	Gen set fuel tank capacity (Minimum) - in litres	20 litres
	Type of fuel	Diesel
	Minimum System Lumens	20000
	IP rating of LED Luminaire	IP67
	Ruggedised Storage Box for main equipment	No
TOWER CONSTRUCTION	Minimum height of Tower/Telescopic collapsible mast/Vertical Mast with light source (in meters from base ground level)	9
	Material of Tower/Telescopic collapsible mast /Vertical Mast	Galvanised Iron
	Minimum thickness of Tower/ Telescopic collapsible mast/Vertical Mast material (+/-5%)	3 mm
	Method of step up and step down of Tower/ Telescopic collapsible mast/Vertical Mast	Manual
	Step up and step down time of Tower/ Telescopic collapsible mast/Vertical Mast	<=2 Minutes
	The strength of the Tower/ Telescopic collapsible mast/Vertical Mast tower is to provide support for it to remain erect at wind speed of	40 km/hr
GENERATOR SET CONSTRUCTION	Generator Set: Recoil start portable AC Generating set comprising AC Generator with declared rating 230 V Single Phase of unit power factor conforming to IS:13364 (Part 1/92) and petrol run air cooled four stroke single cylinder engine with resettable circuit breaker in the AC output	Yes
	Type of mounting	With trolley
	Engines shall conforming to IS:7347/1974 (Reaffirmed in 2006) latest	Yes
	Alternator shall conforming to IS: 13364 (Part 1)/1992 (Reaffirmed 2003) latest	Yes
	System should work on 220/230V, 50 Hz AC supply and for connecting to the mains shall have provision for 15 Amps 3 Pin/2 pin Socket and a suitable lead wire with plugs at both ends	Yes
LED LUMINAIRE CONSTRUCTION	LED Luminaire conformity to IS:10322/Part 5/Section 5/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest	Yes
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes
	LED Modules as per the IS: 16103(Part-2)/2012	Yes
	Luminaire System Efficacy (Lumen/watt)	>= 100 Lm/Watt
	LED chip Efficacy	?130 Lm/Watt
	Colour temperature (+/-500K)	6000K
	Working life for LED (Minimum 50,000 burning hours as per LM-80 report)	>= 50,000 burning hours
	Colour Rendering Index(CRI)	?70
	Optic lense materal (UV stabilised)	Poly carbonate lense
	The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity	Yes

	The luminaire body must be corrosion resistant powder coated	Yes
	All fasteners must be of stainless steel	Yes
	Extruded silicon loop gasket shall be provided to ensure a weather proof seal between the UV Glass cover and the metal housing to exclude the entry of the dust, water, insects etc.,	Yes
	Luminaires light transparency should be of Toughened glass	Yes
	Toughened transparent glass cover thickness	>/=4 mm
	Toughened Glass shall not get discoloured shall not suffer degradation due to heat and ageing within warranty period	Yes
	Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively	Yes
	Operating temperature range	-20 deg. C to +50 deg. C
	"Manufactures Name and and brand on the aluminium die cast body "	Engraved/Embossed
	Date of manufacture (month-year), and lot number as identification mark inside of each unit	Yes
REPORTS AND CERTIFICATIONS	Availability of type test reports from Central Government Laboratory/NABL Accredited/ILAC Laboratory for complete Portable emergency lighting system including for Engine, Alternator and Luminaires as per relevant IS specifications as applicable	Yes
	Luminaire System must have EMI/EMC compliance as applicable (Test reports shall be furnish on demand by buyer/consignee)	Yes
	Availability for LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government /NABL/ILAC accredited lab. (Reports shall be furnish on demany by buyer /Consignee)	Yes
	Availability of LM 80 & TM 21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government /NABL/ILAC accredited lab. (LM-80 report shall have the Pohoto Biological report of the LED Chip being used in the luminaire) (Reports shall be furnish on demany by buyer /Consignee)	Yes
	LED Luminaire shall have Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 5): 2012 or as applicable for portable emergency lighting system as applicable as on date	Yes
	Total Weight of complete system (Must declare) in Kg	</=1000 Kg
	Warranty for complete system	1 Year

Terms and Conditions

1. General Terms and Conditions

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

1.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

2.1 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.2 To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): LED Light to be provided (Minimum) 4 X 200 W, bidder to submit certificate confirming the same..

2.3 Bidders can also submit the EMD with Account Payee Demand Draft in favour of WESTERN COALFIELDS LIMITED payable at NAGPUR. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.4 Bidders can also submit the EMD with Banker's Cheque in favour of WESTERN COALFIELDS LIMITED payable at NAGPUR. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.5 Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name WESTERN COALFIELDS LIMITED Account No. 916020014855308 IFSC Code UTIB0000048 Bank Name AXIS BANK Branch address M.G.HOUSE, RABINDRANATH TAGORE ROAD, BESIDE BOARD OFFICE CIVIL LINES, NAGPUR, 440001, MAHARASHTRA.. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.